GOVERNMENT OF TELANGANA ABSTRACT

Irrigation & CAD Department - Sri P. Chandraiah, NMR, regularization of service as Office Subordinate (LGS) in terms of G.O.Ms.No.212, Finance & Planning (FW:PC.III) Department, dated.22.04.1994 -Permission – Accorded.

IRRIGATION & CAD (SERVICES-I) DEPARTMENT

G.O.Rt.No. 335

Dated: 09-09-2021 Read the following:

- 1. G.O.Ms.No. 212, Finance & Planning (FW:PC.III) Department, dated 22.04.1994.
- 2. Govt. Memo. No. 1940/Ser. I(2)/2017, dated:05.06.2021.
- 3. From the Engineer-in-Chief (Admn), I & CAD Dept., Hyd., Lr No. ENC (Admn)/DyENC/EE(T)/DEE1(T)/ NTPA/ B3/3979/2007Vol-III, dated. 31.07.2021.

(a)(a)(a)

ORDER:

In the circumstances reported by the Engineer-in-Chief (Admn.), Irrigation & CAD Department, Hyderabad in the reference 3rd read above and Government after careful examination of the matter hereby permit the Engineer-in-Chief (Admn.), Irrigation & CAD Department, Hyderabad to regularize the services of Sri P. Chandraiah, NMR as Subordinate (LGS) in existing vacancy in terms G.O.Ms.No.212, Finance & Planning (FW:PC.III) Department, dated 22.04.1994 from prospective date i.e. issue of appointment orders by the competent authority, subject to condition that the said vacancy is clear and continued from time to time and no senior eligible person is overlooked or omitted.

- The Engineer-in-Chief (Admn.), Irrigation & CAD Department, Hyderabad shall take further necessary action in the matter, accordingly.
- This order issued with concurrence of the Finance (HRM-I) Department, vide their U.O.No.1209178/45/A2/HRM.I/2021, dated.30.08.2021.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

Dr. RAJAT KUMAR SPECIAL CHIEF SECRETARY TO GOVERNMENT

 T_{Ω}

The Engineer-in-Chief (Admn.), Irrigation & CAD Department, Hyderabad.

Copy to the individual, through the Engineer-in-Chief (Admn.), Irrigation & CAD Department, Hyderabad.

Copy to the Chief Engineer (Irrigation), Sangareddy.

Copy to the Finance (HRM-I) Department.

SF/SC.

// FORWARDED :: :: BY ORDER //